



EtnaFoam FA 6271

OVERVIEW:

EtnaFoam FA 6271 is blend of mineral oil, fatty ester, and specialized defoaming agents designed to control and eliminate foam in a wide range of aqueous and non-aqueous systems. The balanced formulation provides rapid foam knockdown and sustained suppression without destabilizing the base formulation.

CHEMICAL NAME: Fatty Alcohol, Mineral Oil Blend

FUNCTIONS: Defoamer

SPECIFICATIONS:

Appearance:	Clear, Pale-Yellow
Viscosity @	Liquid 0 - 100 cps
25C: Specific	0.82 – 0.86
Gravity:	Emulsion
Solubility:	6 -8
pH, 1% Sol:	

MARKET APPLICATIONS:

- Textiles – Defoamer in textile processing and production
- Water Treatment – Wastewater treatment in manufacturing
- Paints and Coatings – Defoamer in paints and coatings
- Chemical Manufacturing – Defoamer formulations

SEE SDS FOR STORAGE, HANDLING AND IN CASE OF SPILLS

DISCLAIMER: The information contained herein is believed to be accurate as of the date provided, but Ascent Chemicals (and its subsidiaries or affiliates) makes no guarantees or warranties of any kind, express or implied, as to the accuracy of the information or the use of the product. Because of the variations in methods, conditions, and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for any particular application. The user expressly assumes all risk and liability, whether based in contract, tort or otherwise, in connection with the use of the information contained herein or the product itself.

www.ascentchem.com