



EtnaFoam SE 10

OVERVIEW:

EtnaFoam SE 10 is an economical industrial silicone emulsion antifoam. 10 refers to the active silicone content in the product with the total active ingredients being somewhat higher. EtnaFoam SE 10 is one of a series of silicone emulsions that are available in different strengths for user preferences and applications (EtnaFoam SE 3, 5, 10, 20 & 30 are standard products). EtnaFoam SE 10 contains a unique blend of silicone emulsion and hydrophobized silica to give a rapid knock down of foam coupled with long-lasting foam control.

CHEMICAL NAME: Polysiloxanes

FUNCTIONS: Defoamer

SPECIFICATIONS:

Appearance:	Opaque, Off-White Viscous
Viscosity @ 25C:	Liquid 1000-2000 CPS
pH Neat:	6.5-8.5
Emulsification 1%:	Translucent Emulsion
Defoaming Test:	Must Defoam Aggressively

MARKET APPLICATIONS:

- Oil and Gas - Defoamers for drilling muds and oil production.
- Textiles - Defoamer for fabric dyeing.
- Water Treatment - Defoamer for wastewater.
- Chemical Manufacturing - Used as a defoamer in defoamer formulations.

SEE SDS FOR STORAGE, HANDLING AND IN CASE OF SPILLS

DISCLAIMER: The information contained herein is believed to be accurate as of the date provided, but Ascent Chemicals (and its subsidiaries or affiliates) makes no guarantees or warranties of any kind, express or implied, as to the accuracy of the information or the use of the product. Because of the variations in methods, conditions, and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for any particular application. The user expressly assumes all risk and liability, whether based in contract, tort or otherwise, in connection with the use of the information contained herein or the product itself.