



EtnaFoam SE 30

OVERVIEW:

EtnaFoam SE 30 is a concentrated silicone emulsion used in systems where the metering and dispensing of concentrated material is tolerated. EtnaFoam SE 30 is made from Ascent's silicone emulsion base that contains hydrophobized silica and nonionic emulsifiers. It is effective in a broad range of applications and uses. Because it is nonionic it is compatible with most chemical systems. EtnaFoam SE 30 is also used as a base material to formulate weaker user-friendly products.

CHEMICAL NAME: Polydimethylsiloxane

FUNCTIONS: Defoamer

SPECIFICATIONS:

Appearance:	Opaque Off-White Viscous
Viscosity @ 25C:	Liquid 1500-2500 CPS
pH Neat:	6.5-9.0
Defoaming:	Must Defoam Aggressively
% Activity:	31.0-34.0

MARKET APPLICATIONS:

- Textiles - Defoamer during fabric finishing.
- CASE - Defoamer for latex manufacturing.
- Chemicals - Defoamer for defoaming formulations.
- Water Treatment - Defoamer for wastewater treatment.

SEE SDS FOR STORAGE, HANDLING AND IN CASE OF SPILLS

DISCLAIMER: The information contained herein is believed to be accurate as of the date provided, but Ascent Chemicals (and its subsidiaries or affiliates) makes no guarantees or warranties of any kind, express or implied, as to the accuracy of the information or the use of the product. Because of the variations in methods, conditions, and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for any particular application. The user expressly assumes all risk and liability, whether based in contract, tort or otherwise, in connection with the use of the information contained herein or the product itself.